

## Rabbit antibody to TrkA

|                       |   |
|-----------------------|---|
| <b>Code</b>           | OST00122G   |
| <b>ID Tag</b>         | Rb447-150608-G  |
| <b>Unit size</b>      | 500 Å, Åµg  |
| <b>Immunogen</b>      | A synthetic peptide from the extracellular domain of human TrkA conjugated to blue carrier protein was used as the antigen.   |
| <b>Conjugate</b>      | Unconjugated antibody   |
| <b>Also known</b>     | High affinity nerve growth factor receptor, NTRK1, p140-TrkA, Trk-A, Neurotrophic tyrosine kinase receptor type 1, Slow nerve growth factor receptor  |
| <b>Host</b>           | NZ white rabbit   |
| <b>Purity</b>         | IgG   |
| <b>Clonality</b>      | Polyclonal  |
| <b>Isotype</b>        | Polyclonal, IgG   |
| <b>Applications</b>   | IHC, WB. A concentration of 10-50 µg/ml is recommended. The optimal concentration should be determined by the end user.   |
| <b>Specificity</b>    | Specific for TrkA.  |
| <b>Spcs X-react.</b>  | Human. Other species not yet tested.  |
| <b>Format</b>         | Lyophilised   |
| <b>Reconstitution</b> | Reconstitute in 500 µl of sterile water. Centrifuge to remove any insoluble material.   |
| <b>Storage</b>        | Maintain the lyophilised/reconstituted antibodies frozen at -20°C for long term storage and refrigerated at 2-8°C for a shorter term. When reconstituting, glycerol (1:1) may be added for an additional stability. Avoid freeze and thaw cycles. |
| <b>Expiry Date</b>    | 12 months after reconstitution  |
| <b>Shipping</b>       | This item will be shipped to you at ambient temperature in a lyophilised form.  |
| <b>Limitation</b>     | For research use only   |

---

### Related Products

OST00121W Rabbit antibody to TrkA