

## Rabbit antibody to P2RX7

Code OSP00025W

**ID Tag** Rb980-280609-WS

Unit size 100 ul

**Immunogen** A synthetic peptide from mouse P2X7 conjugated to blue carrier protein was used as the antigen.

**Conjugate** Unconjugated antibody

Also known P2RX7, P2X purinoceptor 7, Purinergic receptor, P2Z receptor, ATP receptor

Host NZ white rabbit
Purity Whole serum
Clonality Polyclonal

**Isotype** Polyclonal, whole serum

Applications IHC, WB. A dilution of 1:1000 is recommended for IHC-P and 1:2000 for WB. The optimal dilution

should be determined by the end user. Not yet tested in other applications.

**Specificity** Specific for P2RX7.

**Spcs X-react.** Mouse, human, rat, marmoset. Other species not yet tested.

Format Lyophilised

Reconstitution Reconstitute in 100 ul of sterile water. Centrifuge to remove any insoluble material.

Storage Maintain the lyophilised/reconstituted antibodies frozen at -20°C for long term storage and


refrigerated at 2-8°C for a shorter term. When reconstituting, glycerol (1:1) may be added for an

additional stability. Avoid freeze and thaw cycles.

**Expiry Date** 12 months after reconstitution

**Shipping** This item will be shipped to you at ambient temperature in a lyophilised form.

**Limitation** For research use only



IHC-P on paraffin sections of rat DRG.

The animal was perfused using Autoperfuser at a pressure of 130 mmHg with 300 ml 4% FA being processed for paraffin embedding. HIER: Tris-EDTA, pH 9

for 20 min using Thermo PT Module. Blocking: 0.2% LFDM in TBST filtered thru 0.2 μm.

Detection was done using Novolink HRP polymer from Leica following manufacturers

instructions; DAB chromogen: Candela DAB chromogen from Osenses. Primary antibody: dilution 1: 1000, incubated 30 min at RT using Autostainer.

Sections were counterstained with Harris Hematoxylin