

Rabbit antibody to CACNA2D3

Code OSC00101W

ID Tag Rb2936-010217-WS

Unit size 100 µl

Immunogen A synthetic peptide from rat CACNA2D3 conjugated to blue carrier protein was used as the

antigen. The peptide is identical in mouse.

Conjugate Unconjugated antibody

Voltage-dependent calcium channel subunit alpha-2/delta-3, Voltage-gated calcium channel Also known

subunit alpha-2/delta-3

Host NZ white rabbit **Purity** Whole serum Clonality Polyclonal

Isotype Polyclonal, whole serum

IHC, WB. A dilution of 1: 1000 is recommended. The optimal dilution should be determined by the **Applications**

end user. Not yet tested in other applications.

Specificity Specific for CACNA2D3.

Spcs X-react. Mouse, rat. Other species not yet tested.

Format Lyophilised

Reconstitution Reconstitute in 100 µl of sterile water. Centrifuge to remove any insoluble material.

Maintain the lyophilised/reconstituted antibodies frozen at -20°C for long term storage and Storage


refrigerated at 2-8°C for a shorter term. When reconstituting, glycerol (1:1) may be added for an

additional stability. Avoid freeze and thaw cycles.

Expiry Date 12 months after reconstitution

Shipping This item will be shipped to you at ambient temperature in a lyophilised form.

Limitation For research use only



IHC-P on paraffin sections of mouse olfactory bulbs.

The animal was perfused using Autoperfuser at a pressure of 130 mmHg processed for paraffin embedding. HIER: Tris-EDTA, pH 9 for 20 ml 4% FA being using Thermo PT Module.

Blocking: 0.2% LFDM in TBST filtered thru 0.2 µm.

Detection was done using Novolink HRP polymer from Leica following manufacturers

instructions; DAB chromogen: Candela DAB chromogen from Osenses. Primary antibody: dilution 1: 1000, incubated 30 min at RT using Autostainer.

Sections were counterstained with Harris Hematoxylin